

Sr. No. 83573

(A Government of India Enterprise)

S.No. NOI-0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45 Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

## GOVERNMENT PURCHASE ENLISTMENT CERTIFICATE

Renewal Certificate (Valid From 14/08/2019 to 13/08/2021)

Ref.No NSIC/NOIDA/GP/1076/09

Date: 08/08/2019

M/s. NEOMETRIX ENGINEERING PVT. LTD.  
104, FF Plot No. 4, LSC, National Arcade, Ghazipur  
Main Road,  
DELHI,  
DELHI- 110096

Factory Address:  
1.E-148, SECTOR-63  
NOIDA, UTTAR PRADESH -201301

## Name of the Directors

- 1.SH. SHAIENDRA PRATAP SINGH
- 2.SMT.PRIYANKA SINGH

Constitution of the firm- Private Limited

UAM up28b0007547

Enterprise Social Class:  
GENERAL

GOVERNMENT PURCHASE REGISTRATION NO: NSIC/GP/NOI/2015/0015031  
GOVERNMENT PURCHASE OLD REGISTRATION NO: NSIC/NOIDA.GP/RS/07/NN-049

Monetary Limit: ₹ 604 lakhs ( ₹ Six Hundred Four Lakh Only)

TURNOVER (Rupees in Lakhs)

Financial Year	Annual Turnover
2015-16	979.31
2016-17	1123.97
2017-18	1206.89
Monetary Limit	604

MSEs registered with NSIC are exempted from deposit of Earnest Money irrespective of value of Monetary Limit.

Your name has been registered as a MSE Unit eligible for participation in the **Central Government Store Purchase Programme** as per the **Single Point Registration Scheme** for the following Item(s)/Store (s)/Service(s).

Name of the Store(s)/ Service(s)	Specification(s)	Qualitative Capacity	Quantitative Capacity P.M.
----------------------------------	------------------	----------------------	----------------------------

"As per List Attached" (66 item only )

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/शाखा प्रबन्धक  
SANJAY YADAV/Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
A Govt. of India Enterprise  
III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481

Conditions overleaf.



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

S.No. NSIC/NOI-0000244

126641

## STORE DETAILS CERTIFICATE

Renewal Certificate (Valid From 14/08/2019 to 13/08/2021)

ANNEXURE TO GOVERNMENT PURCHASES ENLISTMENT CERTIFICATE

NO. NSIC/GP/NOI/2015/0015031 D.T. 08/08/2019

ISSUED TO M/s. NEOMETRIX ENGINEERING PVT. LTD., DELHI

E-148, SECTOR-63, NOIDA, UTTAR PRADESH-201301

Sno	Store(s)/ Service(s) Name	Specification(s)	Qualitative Capacity	Quantitative Capacity PM
1	Test Rig for Testing of Hydraulic Pumps and Hydraulic Motors	Max. Working Pressure: 450 Bar, Max. Flow: 1200 LPM, Max RPM: 15000 RPM, Flow, Pressure, Temperature, RPM Control & Measurement. Performance & Endurance Tests. PLC Based, Manual & Fully Computerized options. Make: Neometrix	450 Bar, 1200 LPM, 15000 RPM	5
2	Hydraulic Actuator Test Rig	Max. Pressure: 420 Bar, Max Flow: 1200 LPM, Max Speed: 50 m/s, Max. Acceleration: 4g, Max Stroke: 2500 mm, Single Acting, Double Acting & Servo Cylinders. Test for Stroke, Load Capacity, Leakage, Seepage, Speed, Acceleration, Inertia Studies, Frequency Response & Cycling. Proof Pressure Test, Ram Stroke Test, Load Test, Pilot Input Load Test, Stall Load and Synchronization Test, Drift Speed Test, LVDT Center Setting Test,	Max. Pressure: 400 Bar, Stroke: 2500 mm, Flow: 1200 LPM	5

संजय यादव/ Sr. शाखा प्रबन्धक  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Limited  
Authorized Signatory  
III-B/118, Sector-18, Noida Complex, Noida

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

<http://www.nsicsonline.com> Administrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126642

## STORE DETAILS CERTIFICATE

3	Test Equipments for Pressure, Flow, Temperature, Load, Torque, Time, Voltage, Current, Frequency, Pulse Counter, Digital & Analog Measurements and Control	Auto Stabilizer Operation Test and By Pass Anti Jamming Test.Performance & Endurance Tests.PLC Based, Manual & Fully Computerized options. Make: Neometrix Hydraulic Pressure Application & Measurements: up to 1600 Bar, Gas Pressure Application & Measurement: up to 1200 Bars, Hydraulic Load Application & Load Measurement - up to 100 Tons, Torque Application & Measurement up to 100Nm. Voltage Measurement (both AC & DC), Current Measurement up to 500 Amp, Frequency: 400 Hz. Electric Load Application & measurement. Testing Time Measurement. Flow measurement up to 2400 LPM, Temperature Control & Measurement: 750 Degree C.PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis.Make: Neometrix	Pressure:Hydraulic:Max:1600 Bar. Pressure: Gas: Max: 1200 Bar, Load: 100 Tons, Torque: 100 NM, Current: 500 Amp.Frequency:400 Hz, Flow: 2400 LPM, Temperature:750 Degree C. Analog Signals: 0-10 Volts, 4-20 mA, mV/V and digital signals of 5 Volts, 24 Volts.	3
4	Calibration Rig	Load Calibration:up to 1000 Kg, Pressure Calibration:Up to 1600 Bar, moment Calibration:Upto	Load Calibration:upto 1000 Kg, Pressure Calibration:Upto 1600 Bar, Moment Calibration: Upto 1000 Nm.	7

संजय यादव Sr. Branch Manager  
 SANJAY YADAV Sr. Branch Manager  
 राष्ट्रीय लघु उद्योग निगम लिमिटेड  
 The National Small Industries Corporation Limited  
 III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
 III-B/118, Sector-18, Shopping Complex, Noida

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. / NO. 00000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

126643

Email : bonoida@nsic.co.in Website : www.nsic.co.in

## STORE DETAILS CERTIFICATE

5	Rig for Flushing of Parts	1000 Nm. Manual, PLC Based, Manual . & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis . Make Neometrix	Fluid: OM-15, Hydraulic Mineral Oil, ATF. Max. Pressure: 300 Bar, Max. Flow: 200 LPM. Manual, PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Make: Neometrix	4
6	Test Rig for Ground Power Protection (General Purpose Electrical & Electronic Test Bench)	Electrical Components and Electronic Components Test Bench. Voltage Source: 400 Hz, 3 Phase, 0-20kVA. DC Voltage: 0-64 Volts, 20 Amp, 0-32 V, 10 Amp. Manual, PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Make: Neometrix	DC Voltage: 0-35V, 0-64V, Current: 250 Amp, Frequency: 400 Hz, Load Bank: 20 kVA	5
7	Pressure Sensitive Gas Charging System	Gas Control Panel with Valves, Regulators, Filters, Gauges, Rotameters, Fittings for High Pressure (Max: 600 Bar) for Oxygen Gas, Helium Gas, Hydrogen Gas, Argon Gas, Air. Make: Neometrix	Max Pressure: 600 Bar	6
8	Test Rig for Battery Terminal Box	Electrical Components and Electronic Components Test bench. Voltage Source: 400Hz, 3 Phase, 0-20kVA. DC Voltage: 0-64 Volts, 20 Amp, 0-35 V, 250 Amp, 0-35 V, 600	DC Voltage: 0-35V, 0-64V, Current: 600 Amp, Frequency: 400 Hz, Load Bank: 20 kVA	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/ Sr. Branch Manager  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
III-बी/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



राष्ट्रीय लघु उद्योग निगम लिमिटेड  
THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

126644

Email : bonoida@nsic.co.in Website : www.nsic.co.in

**STORE DETAILS CERTIFICATE**

9	General Purpose Hydraulic Test Rig	<p>Amp. Manual, Current Measurement/Ammeter: 0-1000 AMP, Voltage Measurement. PLC Based, Manual &amp; Fully Computerized options. Data Acquisition for all Parameters, Storage Display &amp; Analysis. Make: Neometrix</p> <p>Static Pressure: 1000 Bar, Dynamic Pressure: Two Systems simultaneously, Working Pressure Each System: 300 Bar, Max Pressure: 420 Bar, Flow each System: 110 LPM. Filtration NAS Class 3, Flow Measurement and Control, Pressure &amp; temperature Measurement and Control. Refrigerant Chiller for Oil Cooling. Stationary System with Mobile Option. Motor Driven. Suitable for testing components like Hydraulic Pumps, Hydraulic Motors, Actuators, Control Valves (Dc Valves/ Relief Valves), Hydraulic Power Packs, Accumulators, Flow Switches &amp; Pressure Switches, Pipes &amp; Fittings. PLC Based, Manual &amp; Fully Computerized options.</p>	5	<p>Static Pressure: 1000 Bar, Dynamic Pressure: Two Systems simultaneously, Working Pressure Each System: 300 Bar, Max Pressure: 420 Bar, Flow each System: 110 LPM.</p>
---	------------------------------------	--	---	--

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

*(Signature)*  
संजय यादव/ Sr. Branch Manager  
SANJAY YADAV Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
Authorized Signatory  
A Govt. of India Enterprise  
III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



(A Government of India Enterprise)

S.No. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

126645

Email : bonoida@nsic.co.in Website : www.nsic.co.in

**STORE DETAILS CERTIFICATE**

		Data Acquisition for all Paramteres, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option. Make: Neometrix		
10	Pressure & Vibration Rig	Component Testing for Pressure & Vibration. Max. Hydraulic Pressure: 420 Bar, Max. Flow: 100 LPM, Maximum Vibration: 3g, Vibration Frequency: Max 50 Hz. Pressure, Flow, Temperature, Vibration Control & Monitoring. PLC Based, Manual & Fully Computerized options. Data Acquisition for all Paramteres, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option. Make: Neometrix	420 Bar , 100 LPM, 3g, 50 Hz	3
11	Pressure Test Systems	Test System to Test Pressure, with facility to generate & apply (Hydrostatic Pressure Max: 1034 Bar), Hydraulic Pressure(Dynamic),Max:420 Bar, Gas Pressure (Max: 1000 Bar).Manual, PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option. Make: Neometrix	Max Pressure: Hydro Static (1034 Bar), Dynamic: 420 Bar, Gas: 1000 Bar	10

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/व० शाखा प्रबन्धक  
SANJAY YADAV/Br. Branch Manager

राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.

III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

S.No. NoI-0000244

126646

## STORE DETAILS CERTIFICATE

12	Load/Force Test Systems	Test System to Test Load/ orce with facility to generate & apply such loads. Hydraulic Loads- Max 150 Tons, Torque: Max: 150 NM. (Hydrostatic Pressure Max: 1000 Bar), Hydraulic Pressure (Dynamic), Max: 420 Bar, Manual, PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option. Make: Neometrix	Max Load: 150 Tons, Max. Torque: 150 NM	10
13	Flow Measurement Test Systems	Test Stands with flow generation control & measurement & calibration capability up to 2400 LPM. Fluid: Mineral Oil, OM-15, Hydraulic Oil, Water, ATF (Aviation Turbine Fuel). Make: Neometrix	Flow Range: 0-2400 LPM.	5
14	Measuring Wheel Technology Test Rig	Servo Hydraulic Loading, MAX 50 Tons. Fatigue Loading. Vertical Loading & Horizontal Loading. Telemetry Data Acquisition System. Fully Computerized/ PLC/ Semi Automatic Options.	50 Tons	5
15	High RPM Bearing Test Rig	70000 RPM Bearing Test Rig for Endurance and Performance. Max Surface Speed: 200 m/s, Controlled Temperature & Controlled Flow Lubrication. Air Mist Lubrication. Drive: 160 kW, 70000 RPM Gear Box. Radial	Max RPM: 70000. Max Surface Speed: 200 m/s	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)

संजय यादव/ संखा प्रबन्धक  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
Authorized Signatory  
A Govt. of India Enterprise  
III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. NO. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126647

## STORE DETAILS CERTIFICATE

16	Gear Box Lubrication System	and Axial Loading Facility. Torque Measurement Facility. Vibration Measurement Facility. PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option. Make: Neometrix Max. Flow: 200 LPM, Max. Pressure: 4 Bar, Oil Cooling System (Air Cooled/ Refrigerant Chiller Based Cooling/Chilled Water Cooling). Controlled Pressure, Temperature & Flow.	Max. Flow: 200 LPM, Max. Pressure: 4 Bar	10
17	Test Set-up for ECS Units	ECS (Environment Control Systems) Testing Facility. Max Temp: 650 Degree C, Max. Flow: Max. 6000 Kg/Hr Pressure: Max: 42 Kg/Hr, Vibration Measurement Facility (Max: 5g). PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option.	Max Temp: 650 Degree C, Max. Flow: Max. 6000 Kg/Hr Pressure: Max: 42 Kg/Hr, Vibration Measurement Facility (Max: 5g)	2
18	Test Set-up for Cold Air Units	Cold Air Unit & ECS (Environment Control System) Testing Facility. Max Temp: 350 Degree C,	Max Temp: 350 Degree C, Max. Flow: Max. 90 LBS/min Pressure: Max: 150 PSIG,	2

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/०० शाखा प्रबन्धक  
SANJAY YADAV/Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
A Government of India Enterprise  
III-B/118, सेक्टर 18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com> Administrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

S.No. NoI-0000244

126648

## STORE DETAILS CERTIFICATE

19	Spring Testing Systems	Max. Flow: Max.90 LBS/min Pressure: Max: 150 PSIG, Vibration Measurement Facility (Max: 5g). PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option.	Vibration Measurement Facility (Max: 5g)	6
		Fully Computerized, Load Measurement, Hydraulic Load Application. PLC/Semi Automatic Option available.	20000kN	
20	Test Rig for Servo Hydraulic Shock Absorbers	Max. Pressure: 420 Bar, Max Flow: 1200 LPM, Max Speed: 50 m/s, Max. Acceleration: 4g, Max Stroke: 1500 mm, Single Acting, Double Acting & Servo Cylinders. Test for Stroke, Load Capacity, Leakage, Seepage, Speed, Acceleration, Inertia Studies, Frequency Response & Cycling. Proof Pressure Test, Ram Stroke Test, Load Test, Pilot Input Load Test, Stall Load and Synchronization Test, Drift Speed Test, LVDT Center Setting Test, Auto Stabilizer Operation Test and By Pass Anti Jamming Test. Performance & Endurance Tests. PLC Based, Manual & Fully Computerized options. Make: Neometrix	Max. Pressure: 400 Bar, Stroke: 2500 mm, Flow: 1200 LPM	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादवकर शाखा प्रबंधक  
SANJAY YADAV Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
III-बी/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

S.No/NOI-0000244

Ph : 0120-4595000-45 Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126649

## STORE DETAILS CERTIFICATE

21	Head Rest Impact Test Rig	Impact Testing, Impact Value: Max-100g, Max. Velocity: 50 m/s, Servo Hydraulic Actuator for simulating Velocity & Acceleration along with Hydraulic Power Pack with Accumulators to achieve High Speed. Speed Measurement & Control, Acceleration Measurement & Control. Mechanical Set up for simulation of High Speed Impact. PLC Based, Manual & Fully Computerized options. Make: Neometrix	50m/s velocity	5
22	Pneumatic & Hydraulic Cylinder Based Automation System with Air Compressor, Dryer, Filters & Hydraulic Power Pack	Pneumatic Supply System, Hydraulic Supply System. Actuators complete with Load Cells, LVDT and instrumentation like Limit Switches	Pneumatic: 14 Bar , Hydraulic: 1034 Bar	5
23	Compressed Air Generation, Storage, Supply and Compressed Air Distribution System	Complete with Compressor (Both electric Driven as well as Engine Driven), Max. Pressure: 14 Bar, Max. Flow: 1400 CFM. Dryers & Air Filters included. Complete Distribution Pipeline and Various User Stations complete with Valves, Pressure Regulators, Filters, Lubricators, Hoses.	14 Bar, 1400 CFM, Dew Point: -50 Degree C.	6
24	Endurance Testing Rig for Wheels & Castor Wheels	Universal Testing Machine. Hydraulic Actuator based Loading System (Cyclic Loading with Servo Hydraulics). Max. Speed- 20	20 m/s, Max Load: 10 Ton, Maximum Frequency: 60 Hz, Max. Amplitude: 1000 mm. Load Cell, LVDT, Servo	6

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/वे. शाखा प्रबन्धक  
SANJAY YADAV/ Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
उपक्रम  
III-बी/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com> appAdministrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126650

## STORE DETAILS CERTIFICATE

		m/s, Max Load: 10 Ton, Maximum Frequency: 60 Hz. Max. Amplitude: 1000 mm. Load Cell, LVDT, Servo Valves, Close Loop System. Oil NAS Class-3. Application: Performance & Endurance Tests. PLC Based, Manual & Fully Computerized options.	Valves, Close Loop System. Oil NAS Class-3	
25	Universal Testing Machine (UTM)	Universal Testing Machine. Hydraulic Actuator based Loading System (Cyclic Loading with Servo Hydraulics). Max. Speed- 20 m/s, Max Load: 10 Ton, Maximum Frequency: 60 Hz. Max. Amplitude: 1000 mm. Load Cell, LVDT, Servo Valves, Close Loop System. Oil NAS Class-3. Application: Performance & Endurance Tests. PLC Based, Manual & Fully Computerized options.	Peak Speed- 20 m/s, Max Load: 10 Ton, Maximum Frequency: 60 Hz. Max. Amplitude: 1000 mm. Load Cell, LVDT, Servo Valves, Close Loop System. Oil NAS Class-3	7
26	Servo Hydraulic Actuator Test Rig	Max. Dynamic Pressure: 420 Bar, Internal Leakage Test, No Load Speed Test, Load Vs. Speed Test, Loop Gain Test, Frequency Response Test, Transient Response Test, Dynamic Stiffness Test, Chater Test, Cyclic Test for MAIN and CSAS Acutator By Pass Valve. Proof Pressure Test, Ram Stroke Test, Load Test, Pilot Input Load Test, Stall Load and Synchronization Test, Drift Speed Test, LVDT Center Setting Test,	Max Pressure: 420 Bar, Max. Frequency: 60 Hz	6

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/वे. शाखा प्रबन्धक  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
III-बी/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com> /appAdministrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

S.No. NO-0000244

126651

## STORE DETAILS CERTIFICATE

27	Snubber Test Rig	Auto Stabilizer Operation Test and By Pass Anti Jamming Test.Performance & Endurance Tests.PLC Based, Manual & Fully Computerized options. For Testing of Hydraulic and Mechanical Snubbers. Max. Load 20 Tons. Max Acceleration- 4g. Max. Velocity: 20 m/s. Fully Computerized/ PLC/ Semi Automatic Options.	Max. Load 20 Tons. Max Acceleration- 4g. Max. Velocity: 20 m/s	5
28	Gas Systems & Pilot Plants	Generation, Boosting, Storage & Distribution of Gas Systems like Oxygen, Nitrogen, Hydrogen, Argon, Helium, HALON,	400 Bar Working Pressure	6
29	Advance Fluid Systems	Fluid Systems (Liquid Systems as well as Gas Systems) involving Valves, Regulators, Filters, Safety Valves, Tubing & Instrumentation Fittings for CNG Leak Testing, Vacuum Testing. Max. Liquid Pressure: 2000 Bar, Max. Gas Pressure: 1000 Bar.	10-700 bar	12
30	Hydraulic Gas Boosters	Hydraulic Driven Gas Boosters. Max. Pressure: 400 Bar. For Gases like Air, Nitrogen, Hydrogen, Oxygen	400 Bar	20
31	Air Driven Gas Boosters & Gas Boosting Systems	Max. Pressure: 2000 Bar. Gases: Nitrogen/Helium/Argon/ Oxygen/Hydrogen/ HALONS. PLC Option, PLC SCADA Option or Fully Computerized Option.	Max. Pressure: 2000 Bar.	20

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/ Sr. Branch Manager  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com> Administrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126652

**STORE DETAILS CERTIFICATE**

32	Air Driven Liquid Pumps & Systems	Max. Pressure: 3000 Bar Fluids: Water/ ATF /Hydraulic Oil/ Chemicals/ Organic Fluids/ Halons.PLC Option, PLC SCADA Option or Fully Computerized Option.	Max. Pressure: 3000 Bar	5
33	Complete Cyclic Pressure Test Set-Up complete with Vibration	Hydraulic Pressure: 420 Bar, Cyclic Frequency up to 60 Hz. Fully Computerized/ PLC/ Semi Automatic Options. Vibration up to 4g	420 Bar , 4g	5
34	General Purpose Pneumatic Test Rig	High Pressure Gas 400 Bar/ 6000 PSI, Dynamic Pressure: Two Systems simultaneously, Working Pressure Each System: 420 Bar, Max Pressure: 420 Bar, Flow Measurement and Control, Pressure & Temperature Measurement and Control. Pressure Switches, Pipes & Fittings. PLC Based, Manual & Fully Computerized options. Data Acquisition for all Parameters, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option.	Static Pressure: 1000 Bar, Dynamic Pressure: Max Pressure: 420 Bar	10
35	Leak Detection Test Rig for Circuits, Valves, Regulators	Max. Gas Pressure (Helium/ Nitrogen)- 400 Bar, Leak Testing using DP & DeltaP methods. Fully Computerized/ PLC/ Semi Automatic Options.	400 Bar	12

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/ Sr. शाखा प्रबन्धक  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
Authorized Signatory  
The National Small Industries Corporation Ltd.  
A Govt. of India Enterprise भारत सरकार का उपक्रम  
III-बी/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019





# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

S.No. NOI-0000244

126653

## STORE DETAILS CERTIFICATE

36	Relief Valve Cracking Test Rig	Test Rig for Setting Relief Valve complete with Hydraulic Power Pack. Max. Static Pressure: 1034 Bar. Dynamic Pressure: 420 Bar. Fully Computerized/ PLC /Semi Automatic Options.	12 sheer	6
37	Helium Boosting, Gas Cylinder (Bottle) Hydro Testing & Helium Recharging System	Air Driven Helium Booster to generate 420 Bar (Electric Booster Option available), Helium Filtration, Helium Boosting, Helium Filling, Helium Storage. Hydro Test Facility for Gas Cylinders (Bottles)- Hydro Test Pressure: 630 Bar	Max. Pressure: 420 bar, Hydro Testing: 1034 Bar	6
38	Helium & Nitrogen Leak testing machine for CNG Vehicles	Max. Pressure: 400 Bar. Boosting, Storage & Testing Set up. Leak Testing using DP & DeltaP methods. Fully Computerized/ PLC/ Semi Automatic Options.	310 bar	6
39	Altitude Switch Test Rig	Complete with Vacuum Pump, Vacuum Chambers, Altimeters. Complete Piping (4"-6") SS Pipe Lines. Fully Computerized/ PLC/ Semi Automatic Options.	80000 Feel Altitude Simulation.	12
40	Absolute Pressure Switch Test Rig	Complete with Vacuum Pump, Vacuum Chambers, Altimeters. Complete Piping (4"-6") SS Pipe Lines. Fully Computerized/ PLC/ Semi Automatic Options.	80000 Feel Altitude Simulation.	12
41	CNG Circuit Component Test	Testing using DP & DeltaP methods. Fully Computerized/ PLC/ Semi Automatic Options.	400 Bar	12

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/ Sr. Branch Manager  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.

III-बी/118, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No/NO. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126654

## STORE DETAILS CERTIFICATE

	Bench			
42	Fuel Component Test Rigs	Flame Proof Systems. Static Pressure: 1000 Bar, Dynamic Pressure: Two Systems simultaneously, Working Pressure Each System: 300 Bar, Max Pressure: 420 Bar, Flow each System: 110 LPM. Filtration NAS Class 3, Flow Measurement and Control, Pressure & temperature Measurement and Control. Refrigerant Chiller for Oil Cooling. Stationary System with Mobile Option. Motor Driven. Suitable for testing components like FUEL Pumps, Control Valves (DC Valves/ Relief Valves), FUEL Power Packs, Accumulators, Flow Switches & Pressure Switches, Pipes & Fittings. PLC Based, Manual & Fully Computerized options. Data acquisition for all Paramteres, Storage Display & Analysis. Software Program available for each Component in Fully automatic machine option. Make: Neometrix	Static Pressure: 1000 Bar, Dynamic Pressure: Two Systems simultaneously, Working Pressure Each System: 300 Bar, Max Pressure: 420 Bar, Flow each System: 110 LPM.	5
43	Fuel Injection Pump Test Rig	Max. Pressure 1034 Bar. RPM-3000 (MAX)	1034 Bar	12
44	Engine Driven Hydraulic Trolley	Two Systems. Simutaneous Working. 300 Bar, 110 LPM. Engine Driven /Motor option available.	300 Bar, 110 LPM. Max. Pressure:420 Bar	20

संजय यादव/वेब शाखा प्रबन्धक  
SANJAY YADAV/Br. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Limited  
Authorized Signatory  
III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)

<http://www.nsicsonline.com> /appAdministrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. NO60000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

126655

Email : bonoida@nsic.co.in Website : www.nsic.co.in

## STORE DETAILS CERTIFICATE

45	Injector Test Stand	Vacuum Pump & Air Pressure available for degassification. NAS Class-3. Max. Pressure: 420 Bar Max. Pressure 1034 Bar. RPM-3000 (MAX)	1034 Bar	12
46	Data Acquisition & Control System	PLC Based, PCI Based, PXI Based Computerized as well as SCADA Data Acquisition Systems with LABVIEW and other GUI based software	GUI Based/ Ladder Logic	20
47	Proof Pressure Test System	Max. Pressure: 1034 Bar	Max. Pressure: 1034 Bar	12
48	Nitrogen Leak testing machine for CNG Systems	Max. Gas Pressure(Helium/ Nitrogen)- 400 Bar, Leak Testing using DP & DeltaP methods. Fully Computerized/ PLC/ Semi Automatic Options.	400 Bar	12
49	Water Pressure Testing Machine, Hydrostatic Pressure Testing Machine	Max. Pressure: 1034 Bar	Max. Pressure: 1034 Bar	12
50	CCU Test Rig	Max. Pressure: 420 Bar, Max Flow: 1200 LPM, Max Speed: 50 m/s, Max. Acceleration: 4g, Max Stroke: 2500 mm, Single Acting, Double Acting & Servo Cylinders. Test for Stroke, Load Capacity, Leakage, Seepage, Speed, Acceleration, Inertia Studies, Frequency Response & Cycling.	Max. Pressure: 400 Bar, Stroke: 2500 mm, Flow: 1200 LPM	5

संजय यादव/० शाखा प्रबन्धक  
SANJAY YADAV/ Sr. Branch Manager

राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.

III-बी/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No/NO: 00000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

126656

Email : bonoida@nsic.co.in Website : www.nsic.co.in

## STORE DETAILS CERTIFICATE

		Proof Pressure Test, Ram Stroke Test, Load Test, Pilot Input Load Test, Stall Load and Synchronization Test, Drift Speed Test, LVDT Center Setting Test, Auto Stabilizer Operation Test and By Pass Anti Jamming Test. Performance & Endurance Tests. PLC Based, Manual & Fully Computerized options. Make: Neometrix		
51	Hydraulic Power Pack	Max. Pressure: 420 Bar, Max Flow: 1200 LPM, Max Speed: 50 m/s, Max. Acceleration: 4g, Max Stroke: 2500 mm, Single Acting, Double Acting & Servo Cylinders. Test for Stroke, Load Capacity, Leakage, Seepage, Speed, Acceleration, Inertia Studies, Frequency Response & Cycling. Proof Pressure Test, Ram Stroke Test, Load Test, Pilot Input Load Test, Stall Load and Synchronization Test, Drift Speed Test, LVDT Center Setting Test, Auto Stabilizer Operation Test and By Pass Anti Jamming Test. Performance & Endurance Tests. PLC Based, Manual & Fully Computerized options. Make: Neometrix	Max. Pressure: 400 Bar, Stroke: 2500 mm, Flow: 1200 LPM	5
52	MRA Test Rig	Max. Pressure: 420 Bar, Max Flow: 1200 LPM, Max Speed: 50 m/s, Max.	Max. Pressure: 400 Bar, Stroke: 2500 mm, Flow: 1200 LPM	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/० शाखा प्रबन्धक  
 SANJAY YADAV/Sr. Branch Manager  
 राष्ट्रीय लघु उद्योग निगम लिमिटेड  
 The National Small Industries Corporation Limited  
 III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
 III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com> Administrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126657

## STORE DETAILS CERTIFICATE

		<p>Acceleration: 4g, Max Stroke: 2500 mm, Single Acting, Double Acting &amp; Servo Cylinders. Test for Stroke, Load Capacity, Leakage, Seepage, Speed, Acceleration, Inertia Studies, Frequency Response &amp; Cycling. Proof Pressure Test, Ram Stroke Test, Load Test, Pilot Input Load Test, Stall Load and Synchronization Test, Drift Speed Test, LVDT Center Setting Test, Auto Stabilizer Operation Test and By Pass Anti Jamming Test. Performance &amp; Endurance Tests. PLC Based, Manual &amp; Fully Computerized options. Make: Neometrix</p>		
53	TRA Test Rig	<p>Max. Pressure: 420 Bar, Max Flow: 1200 LPM, Max Speed: 50 m/s, Max. Acceleration: 4g, Max Stroke: 2500 mm, Single Acting, Double Acting &amp; Servo Cylinders. Test for Stroke, Load Capacity, Leakage, Seepage, Speed, Acceleration, Inertia Studies, Frequency Response &amp; Cycling. Proof Pressure Test, Ram Stroke Test, Load Test, Pilot Input Load Test, Stall Load and Synchronization Test, Drift Speed Test, LVDT Center Setting Test, Auto Stabilizer Operation</p>	<p>Max. Pressure: 400 Bar, Stroke: 2500 mm, Flow: 1200 LPM</p>	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)" उपक्रम

संजय यादव/सं. शाखा प्रबन्धक  
SANJAY YADAV/Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. No. 0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

126658

## STORE DETAILS CERTIFICATE

54	Control Box for MRA & TRA	Test and By Pass Anti Jamming Test.Performance & Endurance Tests.PLC Based, Manual & Fully Computerized options.Make: Neometrix	Max. Pressure: 400 Bar, Stroke: 2500 mm, Flow: 1200 LPM	5
55	Tailor made (Customerized) Engineering (Hydraulic/ Pneumatic) Systems	Complete Servo Valve Electronics Systems for TESTING Servo Valves (Max. Pressure: 420 Bar, Max Flow: 1200 LPM). Make: Neometrix	Gas: 400 Bar, Static Pressure: 1034 Bar, Dynamic Hydraulic Pressure: 420 Bar	5
56	High Pressure Nitrogen Generation & Distribution Plants (Stationary & Mobile)	Max. Gas Pressure (Helium/ Nitrogen/ Oxygen/HALON/ Argon)- 400 Bar, Max. Fluid Pressure: 1034 Bar. Max. Dynamic Pressure (Hydraulic)-420 Bar, Flow: 1200 LPM. Max. Air Pressure: 14 Bar, Max Air Flow: 1400 CFM, Dryer & Filters installed. Fully Computerized/ PLC/ Semi Automatic Options.	Max Pressure: 420 Bar, Maximum Purity: 99.99999%, Dew Point: -50 Degree C. High Pressure storage capacity- Liter Storage Capacity each, 420 Bar Working Pressure.	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/ संजीव प्रबन्धक  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
A Govt. of India Enterprise  
III-बी/118, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=... 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No/NOI-0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

126659

Email : bonoida@nsic.co.in Website : www.nsic.co.in

## STORE DETAILS CERTIFICATE

57	High Pressure Oxygen Generation & Distribution Plants (Stationary & Mobile)	Diesel Generator Option. Mobile (Towing Facility/ Truck Mounted) or Stationary Options available. PSA Based/ Membrane Based/ VPSA Based.*Max Pressure: 420 Bar, Maximum Purity: 99.99999%, High Pressure Bottle Filling Application. Distribution Panel complete with Regulators, Valves, Filters, Gas Analysers etc. Part of this system is Air Generation System complete with Air Compressor (14 Bar, 1000 CFM) complete with Air Dryer, Air Filters, piping & Air Storage Vessels. Electric Motor Driven Option as well as Diesel Generator Option. Mobile (Towing Facility/ Truck Mounted) or Stationary Options available. ASTM G93 Compliance System.	Max Pressure: 420 Bar, Maximum Purity: 99.99999%, Dew Point: -50 Degree C.	5
58	Oxygen Boosting, Storage, Charging & Distribution System	Gas Boosting Pressure up to 420 Bar. Oxygen Purity Sensors installed. Truck Mounted Mobile. Stationary/ Towable Options available. Air Driven Gas Booster or Electric Driven Gas Boosters. High Pressure Oxygen Cylinder Storage Facility. 12 Cylinders each of 50 Liter water capacity for storage. Gas Distribution Panel for Supply at different pressures from different ports. Oxygen Hoses are part of Supply. Special	Max Pressure: 420 Bar, Maximum Purity: 99.99999%, Dew Point: -50 Degree C.	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव/ सं शाखा प्रबन्धक  
SANJAY YADAV/ Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड

A Govt. of India Enterprise. भारत सरकार का उपक्रम  
III-बी/118, सैक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

Email : bonoida@nsic.co.in Website : www.nsic.co.in

S.No. NOI-0000244

126660

## STORE DETAILS CERTIFICATE

59	Nitrogen Boosting, Storage, Charging & Distribution System	Adopters for various aircrafts like SU-30, MIG, MIRAGE, Jaguar, Globe Master, Helicopter (MI Series), IL-76, IL-78, Tejas etc. Gas Boosting Pressure up to 420 Bar. Nitrogen Purity Sensors installed. Truck Mounted Mobile. Stationary/ Towable Options available. Air Driven Gas Booster or Electric Driven Gas Boosters. High Pressure Oxygen Cylinder Storage Facility. 12 Cylinders each of 50 Liter water capacity for storage. Gas Distribution Panel for Supply at different pressures from different ports. High Pressure Nitrogen Hoses are part of Supply. Special Adopters for various aircrafts like SU-30, MIG, MIRAGE, Jaguar, Globe Master, Helicopter (MI Series), IL-76, IL-78, Tejas etc.	Max Pressure: 420 Bar, Maximum Purity: 99.99999%, Dew Point: -50 Degree C. High Pressure storage capacity- Liter Storage Capacity each, 420 Bar Working Pressure.	5
60	High Pressure Gas Distribution System (GDS)	Automatic Change Over Panels, Pressure Regulators, User Point Panels, Hydrogen, Nitrogen, Helium, Oxygen, Air and other Gases	Max. Pressure: 420 bar, Hydro Testing: 630 Bar	5
61	High Pressure Compressor System	Electric Driven, Max. Pressure: 420 Bar, Max. Flow: 100 LPM	420 Bar, 100 LPM 100 Bar	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)"

संजय यादव  
SANJAY YADAV Sr. Branch Manager  
राष्ट्रीय लघु उद्योग निगम लिमिटेड  
The National Small Industries Corporation Ltd.  
III-B/118, सेक्टर-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481



# राष्ट्रीय लघु उद्योग निगम लिमिटेड THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED

(A Government of India Enterprise)

S.No. ~~NO~~:0000244

Branch Office : III-B/118, Sector-18, Noida-201301(UP)

Ph : 0120-4595000-45

Fax : 0120-4556453

126661

Email : bonoida@nsic.co.in Website : www.nsic.co.in

## STORE DETAILS CERTIFICATE

	with Filter, Dryer & Storage Vessel	420 Bar. Gases: Nitrogen, Oxygen, Hydrogen, Helium, Air		
62	High Pressure Air Preparation System with Dryer & Filters	Air Generation System complete with Air Compressor (14 Bar, 1000 CFM) complete with Air Dryer, Air Filters, piping & Air Storage Vessels. Electric Motor Driven Option as well as Diesel Generator Option. Mobile (Towing Facility/ Truck Mounted) or Stationary Options available.	14 Bar, 1000 CFM, Dew Point: -50 Degree C.	10
63	Aircraft Tyre Charging Rig	Mobile Trolley. Suitable for Charging all aircraft types. Nitrogen Gas. Control Panel, Nitrogen Cylinders with Regulator Panel. Automatic Electronic Control Panel	Max. Pressure (Inlet)-400 Bar	5
64	Electric Motor Test Rig	3 Phase Motors, 300 kW, Drive Control Panel, Fully Computerized, PLC, SCADA and PC Based System	300 kW	5
65	Fuel Pump Test Rig	Max Pressure: 420 Bar, Max. Flow: 2400 LPM, Flow Measurement, Pressure Measurement, Automatic & Manual Options	420 Bar, 2400 LPM	5
66	Hydraulic Dynamometers for AFV Engines & Turbo Engines	1000 HP 2000 RPM complete with Water Supply System. PLC & PC Based Automation and Data Acquisition System.	1000 HP at 2000 RPM	5

M/s. NEOMETRIX ENGINEERING PVT. LTD.

"Authenticity of the certificate can be checked through the web portal: [www.nsicsonline.com](http://www.nsicsonline.com)

  
 संजय यादव/संजय प्रबन्धक  
 SANJAY YADAV, Sr. Branch Manager  
 राष्ट्रीय लघु उद्योग निगम लिमिटेड  
 The National Small Industries Corporation Ltd.  
 III-B/118, रोड-18, शॉपिंग कॉम्प्लेक्स, नोएडा  
 III-B/118, Sector-18, Shopping Complex, Noida

<http://www.nsicsonline.com/appAdministrator/RegistrationCertificatePageView.aspx?id=...> 8/8/2019



CIN : U74140DL1955GOI002481